

Legend

0 100 200

Active scarp of landslide with source >50m wide

Inactive scarp of landslide with source >50m wide

Landslide boundary

Material interpreted to be displaced by sliding

Material interpreted to be displaced by flowing

Crown and trail of landslide with sources between 20 m and 50 m

3SWDL0 Large Landslide Study reference number

Quadrant boundary

63D Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Extracted from Specialist API Services for Natural Terrain Landslide Study (CE 39/98). Map Sheet No. 3-SW-D.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW7
SW QUADRANT
LARGE LANDSLIDE PLAN



Legend

0 100 200

SUPERFICIAL DEPOSITS 表土沉積

GEOLOGICAL LINES 地質界線

STRUCTURAL SYMBOLS 構造符號

Landslide location

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Extracted from Sheet No. 3 of the Hong Kong Geological Survey, 1:20 000 scale map.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW8
SW QUADRANT
GEOLOGY PLAN



Legend

0 100 200

Slope Angle (°)

70
60
50
40
30
20
10
0

Notes:
(1) Contours and slope angles based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW9
SW QUADRANT
SLOPE ANGLE
DISTRIBUTION MAP



Legend

0 100 200

North	0-22.5, 337.5-360
Northeast	22.5-67.5
East	67.5-112.5
Southeast	112.5-157.5
South	157.5-202.5
Southwest	202.5-247.5
West	247.5-292.5
Northwest	292.5-337.5

63D Landslide location and reference

Quadrant boundary

Notes:
(1) Contours and apect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using a Surfer ver. 8.0 grid.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW10
SW QUADRANT
SLOPE ASPECT
DISTRIBUTION MAP





Legend

HISTOGRAM OF SLOPE ANGLE AND RELATIVE PERCENTAGE DISTRIBUTION OF LANDSLIDING



HISTOGRAM OF SLOPE ASPECT AND RELATIVE PERCENTAGE DISTRIBUTION OF LANDSLIDING



Notes:
(1) Contours, slope angle and slope aspect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW11
SW QUADRANT
LANDSLIDE FREQUENCY RELATIVE TO SLOPE ANGLE AND ASPECT



Legend

0 100 200

63D Landslide location and reference

Quadrant boundary

Divergent Flow

Convergent Flow

Plan Curvature, reflects the rate of change of the Terrain Aspect angle measured in the horizontal plane, and is a measure of the curvature of contours. Negative values indicate divergent water flow over the surface, and positive values indicate convergent flow.



Notes:
(1) Contours and plan curvature based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ASW12
SW QUADRANT
PLAN CURVATURE



Legend

0 100 200

Main Scarp

63A1 Landslide reference number

Tension crack

Recent landslide debris (unvegetated)

Relict landslide debris

Colluvium

Alluvial fan/terraces

Boulder field

Exposed rock

Quadrant boundary

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and geological units based on API and limited field mapping.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE1
NE QUADRANT
LANDSLIDE LOCATION AND SIMPLIFIED REGOLITH MAP



Legend

0 100 200

63D1 Landslide location and reference number

Quadrant boundary

Landslides per Hectare: 0, 2, 4, 6, 8, 10, 12, 14, 16, 18

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Isopleth map of landslide density prepared using Count Circle Methdology based on a 10,000 sq m circle.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE2
NE QUADRANT
ISOPLETH MAP OF LANDSLIDE DISTRIBUTION



Legend

0 100 200

Ridge spur line (sharp) Drainage divide

Ridge spur line (rounded) Drainage divide

Drainage line (sharp)

Drainage line (rounded)

Convex break of slope

Concave break of slope

Quadrant boundary

63D1 Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and catchment morphology based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE3
NE QUADRANT
CATCHMENT MORPHOLOGY



Legend

0 100 200

Excavated/disturbed ground

Cultivated land

Cut Slope

Fill slope

Path/Track

Grave

Quadrant boundary

63D Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and anthropengenic features based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE4
NE QUADRANT
PLAN OF ANTHROPOGENIC FEATURES



Legend

0 100 200

Hillfire prior to 1969

Hillfire 1970 to 1979

Hillfire 1980 to 1989

Hillfire 1990 to 2000

Quadrant boundary

Active landslide prior to 1969

Active landslide 1970 to 1979

Active landslide 1980 to 1989

Active landslide 1990 to 2001

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and hillfires based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.
(4) Dashed line used to denote uncertainty of hillfire boundary.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE5
NE QUADRANT
PLAN OF EXTENT OF HISTORIC HILLFIRES



Legend

0 100 200

Source and debris trial

Quadrant boundary

63D1

Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.
(4) NTLI locations extracted from NTLI sheet 3SW-D.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE6
NE QUADRANT
NTLI PLAN



Legend

0 100 200

Active scarp of landslide with source >50m wide

Inactive scarp of landslide with source >50m wide

Landslide boundary

Material interpreted to be displaced by sliding

Material interpreted to be displaced by flowing

Crown and trail of landslide with sources between 20 m and 50 m

3SWDL0 Large Landslide Study reference number

Quadrant boundary

63D Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Extracted from Specialist API Services for Natural Terrain Landslide Study (CE 39/98). Map Sheet No. 3-SW-D.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE7
NE QUADRANT
LARGE LANDSLIDE PLAN





Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Extracted from Sheet No. 3 of the Hong Kong Geological Survey, 1:20 000 scale map.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE8
NE QUADRANT
GEOLOGY PLAN





Notes:
(1) Contours and slope angles based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE9
NE QUADRANT
SLOPE ANGLE
DISTRIBUTION MAP



Legend



North	0-22.5, 337.5-360
Northeast	22.5-67.5
East	67.5-112.5
Southeast	112.5-157.5
South	157.5-202.5
Southwest	202.5-247.5
West	247.5-292.5
Northwest	292.5-337.5

63D Landslide location and reference

Quadrant boundary

Notes:
(1) Contours and apect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using a Surfer ver. 8.0 grid.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE10
NE QUADRANT
SLOPE ASPECT
DISTRIBUTION MAP





HISTOGRAM OF SLOPE ANGLE AND RELATIVE PERCENTAGE DISTRIBUTION OF LANDSLIDING



HISTOGRAM OF SLOPE ASPECT AND RELATIVE PERCENTAGE DISTRIBUTION OF LANDSLIDING



Legend

Notes:
(1) Contours, slope angle and slope aSpect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE11
NE QUADRANT LANDSLIDE FREQUENCY RELATIVE TO SLOPE ANGLE AND ASPECT



Legend

0 100 200

63D Landslide location and reference

Quadrant boundary

Divergent Flow

Convergent Flow

Plan Curvature, reflects the rate of change of the Terrain Aspect angle measured in the horizontal plane, and is a measure of the curvature of contours. Negative values indicate divergent water flow over the surface, and positive values indicate convergent flow.



Notes:
(1) Contours and plan curvature based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANE12
NE QUADRANT
PLAN CURVATURE



Legend

0 100 200

Main Scarp

63A1 Landslide reference number

Tension crack

Recent landslide debris (unvegetated)

Relict landslide debris

Colluvium

Alluvial fan/terraces

Boulder field

Exposed rock

Quadrant boundary

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and geological units based on API and limited field mapping.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW1
NW QUADRANT
LANDSLIDE LOCATION AND SIMPLIFIED REGOLITH MAP



Legend

0 100 200

63D1 Landslide location and reference number

Quadrant boundary

18
16
14
12
10 Landslides per Hectare
8
6
4
2
0

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Isopleth map of landslide density prepared using Count Circle Methdology based on a 10,000 sq m circle.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW2
NW QUADRANT
ISOPLETH MAP OF LANDSLIDE DISTRIBUTION



Legend

0 100 200

Ridge spur line (sharp)
Drainage divide

Ridge spur line (rounded)
Drainage divide

Drainage line (sharp)

Drainage line
(rounded)

Convex break of slope

Concave break of slope

Quadrant boundary

63D1
Landslide location and
reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and catchment morphology based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF
SELECTED NATURAL
TERRAIN LANDSLIDES
AT CLOUDY HILL

FIGURE No. ANW3
NW QUADRANT
CATCHMENT MORPHOLOGY



Legend

0 100 200

Excavated/disturbed ground

Cultivated land

Cut Slope

Fill slope

Path/Track

Grave

Quadrant boundary

63D Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and anthropengenic features based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW4
NW QUADRANT
PLAN OF ANTHROPOGENIC FEATURES



Legend

0 100 200

Hillfire prior to 1969

Hillfire 1970 to 1979

Hillfire 1980 to 1989

Hillfire 1990 to 2000

Quadrant boundary

Active landslide prior to 1969

Active landslide 1970 to 1979

Active landslide 1980 to 1989

Active landslide 1990 to 2001

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides and hillfires based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.
(4) Dashed line used to denote uncertainty of hillfire boundary.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW5
NW QUADRANT
PLAN OF EXTENT OF HISTORIC HILLFIRES



Legend

0 100 200

Source and debris trial

Quadrant boundary

63D1

Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data points interpreted at centre of the source.
(4) NTLI locations extracted from NTLI sheet 3SW-D.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW6
NW QUADRANT
NTLI PLAN



Legend

0 100 200

Active scarp of landslide with source >50m wide

Inactive scarp of landslide with source >50m wide

Landslide boundary

Material interpreted to be displaced by sliding

Material interpreted to be displaced by flowing

Crown and trail of landslide with sources between 20 m and 50 m

3SWDL0 Large Landslide Study reference number

Quadrant boundary

63D Landslide location and reference number

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.
(4) Extracted from Specialist API Services for Natural Terrain Landslide Study (CE 39/98). Map Sheet No. 3-SW-D.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW7
NW QUADRANT
LARGE LANDSLIDE PLAN





Notes:

(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.

(2) Location of landslides based on API and limited field mapping.

(3) Landslide location data point interpreted at centre of the source.

(4) Extracted from Sheet No. 3 of the Hong Kong Geological Survey, 1:20 000 scale map.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW8
NW QUADRANT
GEOLOGY PLAN



Legend

0 100 200

Slope Angle (°)

70
60
50
40
30
20
10
0

63D1 Landslide location and reference number

Quadrant boundary

Notes:
(1) Contours and slope angles based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW9
NW QUADRANT
SLOPE ANGLE
DISTRIBUTION MAP



Legend

0 100 200



North	0-22.5, 337.5-360
Northeast	22.5-67.5
East	67.5-112.5
Southeast	112.5-157.5
South	157.5-202.5
Southwest	202.5-247.5
West	247.5-292.5
Northwest	292.5-337.5

63D Landslide location and reference

Quadrant boundary

Notes:
(1) Contours and apect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using a Surfer ver. 8.0 grid.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW10
NW QUADRANT
SLOPE ASPECT
DISTRIBUTION MAP









Legend

Notes:
(1) Contours, slope angle and slope aspect based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW11
NW QUADRANT LANDSLIDE FREQUENCY RELATIVE TO SLOPE ANGLE AND ASPECT



Legend

0 100 200

63D Landslide location and reference

Quadrant boundary

Divergent Flow

Convergent Flow

Plan Curvature, reflects the rate of change of the Terrain Aspect angle measured in the horizontal plane, and is a measure of the curvature of contours. Negative values indicate divergent water flow over the surface, and positive values indicate convergent flow.



Notes:
(1) Contours and plan curvature based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Landslide location data point interpreted at centre of the source.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ANW12
NW QUADRANT
PLAN CURVATURE





Landslide Density Excluding Additional Landslides Identified in the SE Quadrant During the Regolith Mapping





Landslide Density Including Additional Landslides Identified in the SE Quadrant During the Regolith Mapping

Legend

⊕ Landslide location

Quadrant boundary

Landslides per Hectare

14
12
10
8
6
4
2
0

Notes:
(1) Contours based on height data extracted from Survey Sheet No. 3SW-D, scale 1 : 5 000 and contoured using Surfer ver. 8.0.
(2) Location of landslides based on API and limited field mapping.
(3) Isopleth map of landslide density prepared using Count Circle Methdology based on a 10,000 sq m circle.

Halcrow

DETAILED STUDY OF SELECTED NATURAL TERRAIN LANDSLIDES AT CLOUDY HILL

FIGURE No. ACH1
STUDY AREA
ISOPLETH MAP OF LANDSLIDE DISTRIBUTION