



**SECTION A - A**

**NOTES:**

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. ALL STRUCTURAL STEEL TO BE GRADE S275 AND COMPLIED WITH BS EN 10025.
3. ALL WELDING SHALL COMPLY WITH BS EN 1011-1.
4. ALL BLACK BOLTS SHALL COMPLY WITH BS 4190.
5. ADDITIONAL FULL HEIGHT PROTECTIVE TARPULIN SHEETS OR NYLON NET WITH OPENINGS NOT GREATER THAN 16 mm ARE TO BE FIXED SECURELY ONTO THE GALVANIZED WIRE MESH AS SPECIFIED.
6. R DENOTES GRADE 250 PLAIN REINFORCEMENT.

G	BIM OBJECT REVISION.	Original Signed	12.2025
F	NOTE 3 AMENDED.	Original Signed	08.2024
E	TITLE REVISED.	Original Signed	03.2015
D	NOTES 2 & 3 AMENDED & NOTE 6 ADDED.	Original Signed	12.2014
C	NOTE 5 AMENDED.	Original Signed	01.2005
B	MINOR AMENDMENT.	Original Signed	3.94
A	WIRE MESH SPECIFICATION CHANGED. NOTE 2 TO 5 ADDED.	Original Signed	10.92
REF.	REVISION	SIGNATURE	DATE

**TEMPORARY SAFETY FENCE  
TYPE B  
(SHEET 2 OF 2)**

**CEDD**  
CIVIL ENGINEERING AND DEVELOPMENT DEPARTMENT

SCALE 1 : 50  
DATE JAN 1991

DRAWING NO.  
**C2502 /2G**