



300 x 150 x 50 THICK GRANITE STONE FACING
SET IN 1 : 3 CEMENT / SAND MORTAR



ELEVATION OF STONE FACING
(RECTANGULAR PATTERN)

80 THICK RANDOM SHAPED GRANITE STONE FACING
SET IN 1 : 3 CEMENT / SAND MORTAR



ELEVATION OF STONE FACING
(RANDOM PATTERN)

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. A TRIAL PANEL OF SIZE 1 m x 1 m SHALL BE PREPARED FOR ENGINEER'S APPROVAL.
3. WEEPHOLES SHALL BE PROVIDED AS APPROPRIATE.

C	TITLE REVISED.	Original Signed	03.2015
B	NAME OF DEPARTMENT AMENDED.	Original Signed	01.2005
A	GRANITE STONE BLOCK THICKNESSES AMENDED.	Original Signed	12.2002
REF.	REVISION	SIGNATURE	DATE

STONE FACING TO
CONCRETE SURFACES
(SHEET 2 OF 2)



**CIVIL ENGINEERING AND
DEVELOPMENT DEPARTMENT**

SCALE DIAGRAMMATIC

DRAWING NO.

DATE JAN 1991

C2002 /2C