



ELEVATION
CONTRACTION JOINTS




PLAN
SCALE 1 : 200



BLOCKS AT +150
SCALE 1 : 200

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. ALL LEVELS REFER TO PRINCIPAL DATUM (PD) AND ARE IN MILLIMETRES.
3. UNLESS SHOWN OTHERWISE, THE TYPE OF CONCRETE SEAWALL BLOCKS FOR LANDING SHALL BE DETERMINED BY DESIGNER.
4. CONCRETE FOR LANDINGS AND STEPS SHALL BE GRADE 20/20.
5. FENDERING SYSTEM SHALL BE RUBBER OF APPROPRIATE DESIGN IN ACCORDANCE WITH THE REQUIREMENTS OF THE GENERAL SPECIFICATION FOR CIVIL ENGINEERING WORKS
6. COPE LEVELS ARE SUBJECT TO DETAILED DESIGN.
7. THE USE OF RECYCLED AGGREGATES SHALL BE CONSIDERED IN ALL CONCRETING WORKS.



SECTION A - A
SCALE 1 : 100

F	DRAWING TITLE AMENDED.	Original Signed	03.2015
E	GRANITE FACING STONE ON THE WHOLE LANDING	Original Signed	10.2004
D	NAME OF DEPARTMENT AMENDED.	Original Signed	09.2004
C	PRINCIPAL DATUM USED, NOTE 5 REVISED AND NOTE 7 ADDED	Original Signed	12.2002
B	MINOR AMENDMENTS TO GENERAL DETAILS OF LANDING	Original Signed	01.1999
A	MINOR AMENDMENTS AND GRADE OF CONCRETE FOR LANDING CHANGED.	Original Signed	12.1995
REF.	REVISION	SIGNATURE	DATE

GRAVITY SEAWALL LANDING

(SHEET 1 OF 5)

卓越工程 建設香港



CIVIL ENGINEERING AND DEVELOPMENT DEPARTMENT

SCALE AS SHOWN

DRAWING NO.

DATE JAN 1991

C3009 /1F

We Engineer Hong Kong's Development